

Date of preparation: 06/01/00

SECTION I

Manufacturer : **W. R. MEADOWS, INC.**
 Address : 300 Industrial Drive
 : Hampshire, Illinois 60140
 Telephone # : (847) 683-4500
 Emergency # : 1-800-424-9300 Chemtrec

- H M I S -

|Health : 1 |
|Flammability : 0 |
|Reactivity : 0 |
|Personal Protection : |

(Hazard Rating: 0=Least,1=Slight,2=Moderate,3=High,4=Extreme,*=Chronic)

Product Class : DIVISION 3
 Mfg. code I.D. : 3320000-2
 Trade Name : **SEALTIGHT MED-CURE CONCRETE HARDENER AND SEALER READY TO USE**

SECTION II-A HAZARDOUS COMPONENTS

| No. | Component | CAS# | % by Weight | SARA 313 | VAPOR PRESSURE (mm Hg @ 20 C) | LEL (@ 25 C) |
|-----|--------------------------|-----------|-------------|----------|-------------------------------|--------------|
| 1. | Silicic Acid Sodium Salt | 1344-09-8 | 20-25 | NO | N/A | N/A |

None of the components of this product are recognized as carcinogenic. N/A = Not Applicable
 Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313".

SECTION II-B OCCUPATIONAL EXPOSURE LIMITS

| No. | OSHA | | | | ACGIH | | | |
|-----|---------|-------------|----------|------|---------|-------------|----------|------|
| | PEL/TWA | PEL/CEILING | PEL/STEL | SKIN | TLV/TWA | TLV/CEILING | TLV/STEL | SKIN |
| 1. | 2mg/m³ | N/E | N/E | N/E | 2 mg/m³ | N/E | N/E | N/E |

N/E = Not established

SECTION III PHYSICAL DATA

| | | | |
|-------------------------|-------------------|--------------------------------|-----------------------|
| Boiling Point | : 212 degrees F | % Volatile by volume | : 99.09 (Theoretical) |
| Evaporation Rate | : < 1 (ether = 1) | % Volatile by weight | : 91.32 (Theoretical) |
| Vapor Density | : > 1 (air = 1) | Weight per gallon | : 8.90 (Theoretical) |
| pH Level gtybn | : 11.70 | Product Appearance/Odor | : Red liquid, no odor |

SECTION IV HEALTH INFORMATION

EYE CONTACT: Based on the presence of component 1 this product may cause severe irritation. This product may cause corneal injury resulting in permanent vision impairment, even blindness.
SKIN CONTACT: Based on the presence of component 1 this product is presumed to be moderately irritating to the skin. Prolonged contact may cause damage to the skin.
INHALATION: Based on the presence of component 1 exposure to mist or spray may cause coughing, sneezing, or other symptoms of upper respiratory tract irritation. Overexposure may result in lung tissue damage due to corrosive effects.
INGESTION: May cause irritation of the gastrointestinal tract. Based on the presence of component 1 this product may cause severe irritation with possible tissue damage to mucous membranes of the mouth, throat, esophagus, and stomach.
SIGNS AND SYMPTOMS: This is a corrosive material. Symptoms will vary from mild irritation to severe burning based on the concentration of the material and the duration of the exposure.
AGGRAVATED MEDICAL CONDITIONS: Pre-existing skin, eye and respiratory disorders may be aggravated by exposure to this product.
OTHER HEALTH EFFECTS: None recognized.

SECTION V EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Immediately flush eyes with copious amounts of water for at least fifteen (15) minutes while holding eyelids open. Seek prompt medical attention.
SKIN CONTACT: Immediately remove contaminated clothing and shoes. Wipe excess from skin and flush with water for at least fifteen (15) minutes using soap if available. Seek prompt medical attention. Do not reuse clothing until thoroughly decontaminated.
INHALATION: If respiratory symptoms develop, move victim away from exposure source and into fresh air. If symptoms persist, seek medical attention. If victim is not breathing, immediately begin artificial respiration. If breathing difficulties develop, oxygen should be administered by qualified personnel. Seek immediate medical attention.
INGESTION: Dilute with liquid unless the victim is unconscious or very drowsy. If vomiting spontaneously occurs, keep the victim's head below the hips to prevent aspiration into the lungs. Consult a physician, hospital, or poison control center and/or transport to an emergency facility immediately.

Date of preparation: 06/01/00

SECTION VI FIRE AND EXPLOSION HAZARDS

FLAMMABILITY CLASSIFICATION

- NFPA : None
- DOT : Not regulated

FLASH POINT: This product will not flash.

EXTINGUISHING MEDIA: Use water fog, foam, dry chemical or Carbon Dioxide.

SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS: Clear area of unprotected personnel. Do not enter confined fire space without helmet, face shield, bunker coat, gloves, rubber boots, and a positive pressure NIOSH approved self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None recognized.

SECTION VII REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION : Will not occur

CONDITIONS AND MATERIALS TO AVOID: Avoid strong acids.

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion may yield Carbon Dioxide, Carbon Monoxide, and/or incomplete combustion products. Do not breathe smoke or fumes. Wear appropriate protective equipment.

SECTION VIII EMPLOYEE PROTECTION

RESPIRATORY PROTECTION: Use ventilation as required to control vapor concentrations - at least 10 air changes per hour are recommended for good general room ventilation. If exposure exceeds the PEL/TLV, use the appropriate NIOSH approved respirator.

PROTECTIVE CLOTHING: Wear safety glasses, goggles, or a splash shield to prevent eye contact. Contact lenses should not be worn. Wear appropriate gloves and protective clothing to prevent contact with skin and clothing.

ADDITIONAL PROTECTIVE MEASURES: Eye wash fountains and safety showers should be available for use in an emergency.

SECTION IX ENVIRONMENTAL PROTECTION

SPILL OR LEAK PROCEDURES: LARGE SPILLS>> Evacuate the hazard area of unprotected personnel. Wear appropriate personal protective equipment. Shut off source of leak only if safe to do so. Dike and contain. If vapor cloud forms, water fog may be used to suppress; contain run-off. Remove with vacuum trucks or pump to storage/salvage vessels. Soak up residue with an absorbent such as clay, sand or other suitable material; place in non-leaking containers for proper disposal. Flush area with water to remove trace residue; dispose of flush solutions as above. SMALL SPILLS>> Take up with an absorbent material and place in non-leaking containers; seal tightly for proper disposal.

WASTE DISPOSAL: Observe all Federal, State and local regulations regarding proper disposal.

SECTION X ADDITIONAL PRECAUTIONS

Containers can contain hazardous product residues even when empty. Wash with soap and water before eating, drinking, smoking or using toilet facilities.

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of the product described herein.