



slurry solidification

PIT DRY™

The Solid Solution for Liquid Waste Disposal



CETCO DRILLING PRODUCTS

A costly problem solved

**PIT
DRY™**
slurry solidification



Spent drilling mud can be a problem.

By the time you recover it, tanker it off-site, make certain it meets all environmental regulatory requirements and pay tipping fees to dispose of it, it can be a very expensive and time-consuming problem.



That's why CETCO developed the PiTDRY™ HDD process.



This revolutionary new application is the only one on the market that transforms used liquid drilling fluids into disposable, dumpable solids in minutes. With this unique process, available only from CETCO, you simply pump spent fluid through a PDM-300 machine while adding PiTDRY HDD reagent.

PITDRY HDD BENEFITS

- Simple one-step process
- Converts liquid to solid in minutes
- Solids are dumpable
- Economical disposal solution
- Pass Paint Filter and Slump Tests
- Proven results

1-step process

liquid to solid in minutes



Simply pump spent fluid through a PDM-300 machine while adding PITDRY HDD reagent.

That's it. When you're through, you have a solid product that passes RCRA paint filter and slump tests and can be taken directly to a landfill — or simply mixed into the soil at the project site.

What you don't have are long-term environmental liabilities, costly and complex disposal methods, or high costs for remediation in increasingly stringent regulatory environments.

PITDRY HDD is easy, affordable and effective.

In short, it's everything you'd like in a waste disposal solution.

So that's one problem solved.



Drilling Fluids ■ Sealants ■ Grouts ■ Polymers ■ Additives ■ Well Rehabilitation ■ Slurry Solidification

CETCO[®]

DRILLING PRODUCTS

800.527.9948 www.cetco.com

1500 West Shure Drive Arlington Heights, IL 60004 PH 847.392.5800 FX 847.506.6150

© 2007 Colloid Environmental Technologies Company

Rev 4.07

The information and data contained herein are believed to be accurate and reliable. CETCO makes no warranty of any kind and accepts no responsibility for the results obtained through application of this information.