

1. Identification of Substance & Company

Product

Product name Voltex®

HSNO approval NA – non hazardous **Approval description** Non hazardous

UN number NA
Proper Shipping Name NA
DG class NA
Packaging group NA
Hazchem code NA

Uses Waterproofing system

Company Details

Company Allco Waterproofing Solutions

Address 5 Te Kea Place PO Box 101-903

Albany North Shore City

Auckland 0745 New Zealand New Zealand

 Telephone
 +64 9 448 1185

 Website
 www.allco.co.nz

Hazard Identification

Approval

This product is not considered hazardous under the Hazardous Substances and New Organisms Act (HSNO), according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

GHS Classes

Hazard Statements

None SYMBOLS none

Other Classifications

This mixture contains crystalline silica (quartz). The following classification ONLY applies to this substance if it is in the form of a fine respirable dust in an occupational (chronic exposure) setting, e.g. if it has been dried, sanded or cut:

Carcinogenicity cat 1 H350 - May cause cancer if inhaled (contains crystalline silica)

STOT RE cat 1 H372 - Causes damage to organs through prolonged or repeated exposure

if inhaled. (may cause silicosis and effects to the lungs).

Precautionary Statements

none

3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Bentonite which may include up to 6%:	1302-78-9	Not specified
Crystalline silica	14808-60-7	<6%
Ingredients not contributing to GHS classes	proprietary	Balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4. First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid

Ready access to running water is recommended.

facilities

Page 1 of 6 May 2022





Exposure

Swallowed Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor.

Eye contact If product gets in eyes, wash material from them with running water for several minutes.

If symptoms persist, seek medical advice.

Skin contact Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and

water. If skin irritation occurs: get medical advice/attention.

Inhaled If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for

breathing. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor. If experiencing respiratory symptoms: Immediately call a

POISON CENTER or doctor.

Advice to Doctor

Treat symptomatically

5. Firefighting Measures

Fire and explosion hazards:

Suitable extinguishing

substances:

Unsuitable extinguishing

substances:

Products of combustion:

Protective equipment:

Product does not burn

Not applicable.

Unknown.

Product may decompose in a fire and produce toxic or corrosive fumes.

Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

There are no specific risks for fire/explosion for this chemical. It is non-combustible.

and eve protection.

Hazchem code: NA

6. Accidental Release Measures

Containment In all cases design storage to prevent discharge to stormwater.

Emergency procedures In the event of a large spillage (>100kg) alert the fire brigade to location and give brief

description of hazard.

Prevent by whatever means possible any spillage from entering drains, sewers, or water

courses. (If this occurs contact your regional council immediately).

Clean-up method Collect product avoiding any dust formation, and seal in properly labelled containers or

drums for disposal. If contamination of crops, sewers or waterways has occurred advise

local emergency services.

Disposal Sweep and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions The dust may form irritating atmosphere. Contaminated water will be strongly alkaline. Do

not allow contaminated water to enter the environment.

Wear protective equipment to prevent skin and eye contamination and the inhalation of

dust. Work up wind or increase ventilation.

7. Storage & Handling

Storage Store in a cool dry place.

Avoid storage of harmful substances with food.

Avoid contact with incompatible substances as listed in Section 10.

Handling During the manual handling of products please lift carefully - corners are sharp.

Minimise dust generation and accumulation. See section 8 with regard to personal protective equipment requirements. Avoid skin and eye contact and inhalation of masonry

dust.

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ WorkplaceIngredientWES-TWAWES-STELExposure StdsCrystalline silica0.05mg/m³ (respirable dust)data unavailable





Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

General Personal Protective Equipment (PPE) should not be used as the primary means of

exposure protection, except in the event of an accident or emergency situation or where

all other means of protection have proven to inadequate.

Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be

undertaken.

Eyes Protective eyewear is not normally necessary when using this product. However, it

always prudent to use protective eyewear if splashes are likely.

Skin If discomfort is felt (e.g., if pre-existing conditions exist, such as dermatitis, cuts or

sensitive skin), gloves may be helpful. If you suffer from dermatitis type skin conditions, use gloves. Replace frequently. Gloves should be checked for tears or holes before use. To prevent irritation a well fitted dust mask should be used (this is not recommended

when exposure is close to the WES). A fine particulate half or full face respirator with an effective seal is recommended when airborne concentrations approach the WES (section 8). If sanding, grinding, crushing or cutting material, it is possible that the silica dust WES will be exceeded hence a respirator will be required. If during exposure to a concentrated aqueous solution/slurry, dust and mist is likely, a full face respirator with a particulate filter

is recommended.

WES Additional Information

Not applicable

Respiratory

9. Physical & Chemical Properties

Appearance Solid composite material

Odour not specified pH no data

Vapour pressure 0.00004hPa (estimated)

Viscosity solid
Boiling point no data
Volatile materials 0%
Freezing / melting point no data

Solubility insoluble in water

Specific gravity / density no data
Flash point no data
Danger of explosion no data
Auto-ignition temperature no data
Upper & lower flammable limits
Corrosiveness non corrosive

10. Stability & Reactivity

Stability This product is unlikely to react or decompose under normal storage conditions. This

product will not undergo polymerisation reactions.

Conditions to be avoidedContainers should be kept closed in order to avoid contamination.

Incompatible groups Strong acids
Substance Specific none known
Incompatibility

Hazardous decompositionDoes not readily decompose. Hazardous respirable dust particles may be generated.

products
Hazardous reactions none known





11. Toxicological Information

Summary

IF SWALLOWED: Ingestion of this product may cause gastrointestinal irritation.

IF IN EYES: no effect anticipated. IF ON SKIN: no effect anticipated

IF INHALED: for the dust: Short term (acute) silicosis can occur with one-off exposures to extremely high levels of fine

crystalline silica dust. Other short term effects include irritation, choking and difficulty breathing.

CHRONIC EFFECTS: The dust does contain crystalline silica. Crystalline silica inhaled in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC Group 1). The carcinogenicity of silica is related to long term (e.g., 10 years) inhalation of very fine particulate (e.g., from sand blasting or dry cutting of masonry). Carcinogenicity of silica appears linked to development of silicosis (see systematic below) followed by complications and, eventually lung cancer. In addition to silicosis there is some evidence that exposure to respirable crystalline silica may be linked to scleroderma and an increased risk of kidney disease.

Supporting Data

Acute Oral Using LD₅₀'s for ingredients, the calculated LD₅₀ (oral, rat) for the mixture is >2000 mg/kg.

Data considered includes: bentonite >5000mg/kg.

Dermal No evidence of dermal toxicity.

Inhaled No evidence of acute inhalation toxicity.

Eye The mixture is not considered to be an eye irritant. Skin The mixture is not considered to be a skin irritant.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

Mutagenicity

No ingredient present at concentrations > 0.1% is considered a mutagen.

Carcinogenicity

This material does contain Crystalline silica which if inhaled in the form of ormalic contains.

This material does contain Crystalline silica which if inhaled in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC Group 1). Crystalline Silica triggers carcinogen cat 1 classification (confirmed carcinogen). The carcinogenicity of silica is related to long term (e.g., 10 years) inhalation of very fine particulate (e.g., from sand blasting or dry cutting of quartz containing substrates). Carcinogenicity of silica appears linked to development of silicosis (see systematic

below) followed by complications and, eventually lung cancer

Reproductive / Developmental Systemic

No ingredient present at concentrations > 0.1% is considered a reproductive or

developmental toxicant or have any effects on or via lactation.

Crystalline silica triggers STOT RE cat 1 classification if it is in the form of a fine respirable dust in an occupational (chronic exposure) setting. This is due to the development of silicosis which can occur following exposure to extremely high levels of fine silica dust. Silicosis is a type of pneumoconiosis – a disease of the lung that causes inflammation, scar tissue, lesions and fibrosis in the lung (alveolar). Symptoms include shortness of breath, cough, fever, loss of appetite and cyanosis (bluish skin). Silicosis can occur following prolonged exposure (e.g., 10 years) to relatively high levels of fine

crystalline silica dust.

Aggravation of existing conditions

None known.

12. Ecological Data

Summary

This mixture is not considered ecotoxic.

Supporting Data

Aquatic Using EC50's for ingredients, the calculated EC50 for the mixture is between 10 mg/L and

100 mg/L and at least one of the components is either bioaccumulative or persistent in

the aquatic environment.

Bioaccumulation NO considered bioaccumulative.

Degradability not readily biodegradable

Soil Not consided ecotoxic in the soil environment.

Terrestrial vertebrate Not harmful towards terrestrial vertebrates

Terrestrial invertebrate No evidence to toxicity towards terrestrial invertebrates

Biocidal Not biocidal

Environmental effect levels No EELs are available for this mixture or ingredients





13. Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal methodDisposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should

be sought from the Regional Authority.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:NAHazchem code:NA

15. Regulatory Information

This substance is not considered to be hazardous under HSNO. All ingredients appear on the NZIoC.

Specific Controls

Key workplace requirements are:

SDS Not required (non hazardous), but best practice to have the SDS available.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Not required. Certified handler Not required. Tracking Not required. Bunding & secondary containment Not required. Signage Not required. Location compliance certificate Not required. Flammable zone Not required. Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.





16. Other Information

Abbreviations

Approval Code NA – non hazardous.

EC₅₀ Ecotoxic Concentration 50% − concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

EPA Environmental Protection Authority (New Zealand)

GHS Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised

edition, 2017, published by the United Nations.

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer

LEL Lower Explosive Limit

LD₅₀ Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

NZIoC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

STOT RESystem Target Organ Toxicity – Repeated Exposure
STOT SE
System Target Organ Toxicity – Single Exposure

Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours) Upper Explosive Limit

UN Number United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

EPA Notices

UEL

Data

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID). www.epa.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site - www.worksafe.govt.nz.

Other References: Suppliers SDS

Review

DateReason for reviewMay 2022Not applicable – new SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951

