

1. Identification of Substance & Company

Product

Product nameCoreflash® 60HSNO approvalNA – non hazardousApproval descriptionNon hazardous

UN number NA
Proper Shipping Name NA
DG class NA
Packaging group NA
Hazchem code NA

Uses 6--MIL Reinforced Flashing Membrane

Company Details

Company Allco Waterproofing Solutions

Address 5 Te Kea Place PO Box 101-903

Albany North Shore City

Auckland 0745 New Zealand New Zealand

 Telephone
 +64 9 448 1185

 Website
 www.allco.co.nz

2. Hazard Identification

Approval

This product is not considered hazardous under the Hazardous Substances and New Organisms Act (HSNO), according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

GHS Classes

Hazard Statements

None SYMBOLS none

Other Classifications

No other classifications are known to apply.

Precautionary Statements

none

3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Non hazardous ingredients	proprietary	100%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4. First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid facilities

Ready access to running water is recommended.

F....

Exposure

Swallowed Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor.

Eye contact If product gets in eyes, wash material from them with running water for several minutes.

If symptoms persist, seek medical advice.

Skin contact Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and

water. If skin irritation occurs: get medical advice/attention.

Inhaled If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for

Page 1 of 6 July 2023

Product Name: Coreflash® 60



Coreflash® 60 Safety Data Sheet

breathing. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor. If experiencing respiratory symptoms: Immediately call a POISON CENTER or doctor.

Foam. Powder. Carbon dioxide (CO2). Dry chemical, foam, water fog. CO2 or Halon may

Advice to Doctor

Treat symptomatically

5. Firefighting Measures

Fire and explosion hazards:

Suitable extinguishing

substances:

Unsuitable extinguishing

substances:

Products of combustion:

Protective equipment:

Pr

Product may decompose in a fire and produce toxic or corrosive fumes. Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

There are no specific risks for fire/explosion for this chemical.

Do not use water jet as an extinguisher, as this will spread the fire.

and eve protection.

Hazchem code: NA

6. Accidental Release Measures

Containment In all cases design storage to prevent discharge to stormwater.

Emergency procedures In the event of a large spillage (>100kg) alert the fire brigade to location and give brief

description of hazard.

provide limited control.

Prevent by whatever means possible any spillage from entering drains, sewers, or water

courses. (If this occurs contact your regional council immediately).

Clean-up method Collect product avoiding any dust formation, and seal in properly labelled containers or

drums for disposal. If contamination of crops, sewers or waterways has occurred advise

local emergency services.

Disposal Sweep and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

PrecautionsThe dust may form irritating atmosphere. Contaminated water will be strongly alkaline. Do

not allow contaminated water to enter the environment.

Wear protective equipment to prevent skin and eye contamination and the inhalation of

dust. Work up wind or increase ventilation.

7. Storage & Handling

Storage Store in a cool dry place.

Avoid storage of harmful substances with food.

Avoid contact with incompatible substances as listed in Section 10.

Handling Do not breathe fumes, especially if this product is used as high temperatures.

See section 8 with regard to personal protective equipment requirements. Avoid skin and

eye contact and inhalation of fumes.

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA WES-STEL

Exposure Stds No ingredient listed

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

General Personal Protective Equipment (PPE) should not be used as the primary means of

Page 2 of 6 July 2023

Product Name: Coreflash® 60



Coreflash® 60 Safety Data Sheet

exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate.

Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.

Protective eyewear is not normally necessary when using this product. However, it

always prudent to use protective evewear if splashes are likely.

Skin If discomfort is felt (e.g., if pre-existing conditions exist, such as dermatitis, cuts or

sensitive skin), gloves may be helpful. If you suffer from dermatitis type skin conditions, use gloves. Replace frequently. Gloves should be checked for tears or holes before use. To prevent irritation a well fitted dust mask should be used (this is not recommended when exposure is close to the WES). A fine particulate half or full face respirator with an

effective seal is recommended when airborne concentrations approach the WES (section 8). If sanding, grinding, crushing or cutting material, it is possible that the silica dust WES will be exceeded hence a respirator will be required. If during exposure to a concentrated aqueous solution/slurry, dust and mist is likely, a full face respirator with a particulate filter

is recommended.

WES Additional Information

Not applicable

Respiratory

Eyes

Physical & Chemical Properties

Appearance Fabric/Mat Odour vinegar-like **Odour Threshold** no data no data

Freezing/melting point no data **Boiling Point** >176°C **Flashpoint** >121°C **Flammability** non flammable

Upper & lower flammable limits no data Vapour pressure no data Vapour density no data

Specific gravity/density ~1.41g/cm3 estimated

Solubility not soluble Partition coefficient no data Auto-ignition temperature no data Decomposition temperature no data Viscosity no data **Particle Characteristics** no data

Stability & Reactivity

Stability This product is unlikely to react or decompose under normal storage conditions. This

product will not undergo polymerisation reactions.

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep away from heat,

flames and sparks.

Incompatible groups None known **Substance Specific** None known Incompatibility

Hazardous decomposition

Thermal decomposition can lead to the release of toxic gases and vapours. May emit products

oxides of carbon and low molecular weight hydrocarbon.

Hazardous reactions none known



11. Toxicological Information

Summary

IF SWALLOWED: low ingestion hazard.

IF IN EYES: direct contact may cause temporary irritation.

IF ON SKIN: no effect anticipated.

IF INHALED: prolonged exposure may be harmful and may cause shortness of breath.

Supporting Data

Acute Oral Using LD₅₀'s for ingredients, the calculated LD₅₀ (oral, rat) for the mixture is >2000 mg/kg.

Dermal InhaledNo evidence of dermal toxicity.
No evidence of acute inhalation toxicity.

Eye The mixture is not considered to be an eye irritant.

Skin The mixture is not considered to be a skin irritant.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

Mutagenicity No ingredient present at concentrations > 0.1% is considered a mutagen.

Carcinogenicity No evidence of carcinogenicity.

Reproductive / No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation.

Systemic No evidence of system target organ toxicity.

None known.

Aggravation of existing conditions

Ecological Data

Summary

This mixture is not considered ecotoxic.

Supporting Data

Aquatic Using EC₅₀'s for ingredients, the calculated EC₅₀ for the mixture is > 100 mg/L

Bioaccumulation Nt considered bioaccumulative. **Degradability** Not readily biodegradable

Soil Not consided ecotoxic in the soil environment.

Terrestrial vertebrate Not harmful towards terrestrial vertebrates

Terrestrial invertebrate No evidence to toxicity towards terrestrial invertebrates

Biocidal Not biocida

Environmental effect levels No EELs are available for this mixture or ingredients

13. Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal methodDisposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should

be sought from the Regional Authority.

Contaminated packagingDisposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:NAHazchem code:NA

IMDG

UN number: NA Proper shipping name: Not regulated

Class(es) NA Packing group: NA Precautions: NA EmS NA

Page 4 of 6 July 2023

2023 Product Name: Coreflash® 60



IATA

UN number: NA Proper shipping name: Not regulated

Packing group: Class(es) NA NA Precautions: NA **ERG Guide** NA

Regulatory Information

This substance is not considered to be hazardous under HSNO. All ingredients appear on the NZIoC.

Specific Controls

Key workplace requirements are:

SDS Not required (non hazardous), but best practice to have the SDS available. Inventory An inventory of all hazardous substances must be prepared and maintained. Packaging

All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Not required. Certified handler Not required. Tracking Not required. Bunding & secondary containment Not required. Signage Not required. Location compliance certificate Not required. Flammable zone Not required. Fire extinguisher Not required.

RPROOFING SOLUTIONS LTD

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

16. Other Information

Abbreviations

Approval Code NA - non hazardous.

Ecotoxic Concentration 50% - concentration in water which is fatal to 50% of a test EC₅₀

population (e.g. daphnia, fish species)

Environmental Protection Authority (New Zealand) **EPA**

Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised **GHS**

edition, 2017, published by the United Nations.

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer

LEL Lower Explosive Limit

 LD_{50} Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

Lethal Concentration 50% - concentration in air which is fatal to 50% of a test population LC_{50}

(usually rats)

NZIoC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

STOT RE System Target Organ Toxicity - Repeated Exposure STOT SE System Target Organ Toxicity - Single Exposure

TWA Time Weighted Average - generally referred to WES averaged over typical work day

(usually 8 hours)

Page 5 of 6

July 2023 Product Name: Coreflash® 60



Coreflash® 60 Safety Data Sheet

UELUpper Explosive LimitUN NumberUnited Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

EPA Notices www.epa.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site - www.worksafe.govt.nz.

Other References: Suppliers SDS

Review

Date Reason for review

July 2023 Not applicable – new SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951

