

1. Identification of Substance & Company

Product

Product nameCasali Dermabit® ExtraHSNO approvalNA – non hazardousApproval descriptionNon hazardous

UN number NA
Proper Shipping Name NA
DG class NA
Packaging group NA
Hazchem code NA

Uses Single and multi-layer waterproofing membrane

Company Details

Company Allco Waterproofing Solutions

Address 5 Te Kea Place PO Box 101-903

Albany North Shore City

Auckland 0745 New Zealand New Zealand

 Telephone
 +64 9 448 1185

 Website
 www.allco.co.nz

Hazard Identification

Approval

This product is not considered hazardous under the Hazardous Substances and New Organisms Act (HSNO), according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

GHS Classes Hazard Statements

None SYMBOLS none

Other Classifications

No other classifications are known to apply.

Precautionary Statements

Prevention P103 - Read label before use.

Response NA Storage NA

Disposal P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Ingredients not contributing to GHS classes	proprietary	100%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4. First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid Ready access to running water is recommended.

facilities



Exposure

Swallowed Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor.

Eye contact If product gets in eyes, wash material from them with running water for several minutes.

If symptoms persist, seek medical advice.

Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and Skin contact

water. If skin irritation occurs: get medical advice/attention.

Inhaled If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for

breathing. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor. If experiencing respiratory symptoms: Immediately call a

POISON CENTER or doctor.

Advice to Doctor

Treat symptomatically.

Firefighting Measures

Fire and explosion hazards: There are no specific risks for fire/explosion for this chemical. It is a combustible

material.

Suitable extinguishing

substances:

Water Fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular

foam.

Unsuitable extinguishing

substances:

Do not use water jet as an extinguisher, as this will spread the fire.

Products of combustion: Product may decompose in a fire and produce toxic fumes. Protective equipment:

Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eve protection.

Hazchem code: NA

Accidental Release Measures

Containment In all cases design storage to prevent discharge to stormwater.

Emergency procedures In the event of a large spillage (>100kg) alert the fire brigade to location and give brief

description of hazard.

Prevent by whatever means possible any spillage from entering drains, sewers, or water

courses. (If this occurs contact your regional council immediately).

Clean-up method Collect product and seal in properly labelled containers or drums for disposal. If

contamination of crops, sewers or waterways has occurred advise local emergency

services.

Sweep and collect recoverable material into labelled containers for recycling or salvage. Disposal

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions Do not allow contaminated water to enter the environment. Wear protective equipment to

prevent skin and eye contamination and the inhalation of dust. Work up wind or increase

ventilation.

Storage & Handling

Storage Store in a cool dry place.

Avoid storage of harmful substances with food.

Avoid contact with incompatible substances as listed in Section 10.

Handling Minimise dust generation and accummulation. See section 8 with regard to personal

protective equipment requirements. Avoid skin and eye contact and inhalation of dust.

Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m3 for respirable particulates and 10mg/m3 for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient **WES-TWA WES-STEL**

Exposure Stds Bitumen fumes (petroleum) 5mg/m³ NA



Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

General Personal Protective Equipment (PPE) should not be used as the primary means of

exposure protection, except in the event of an accident or emergency situation or where

all other means of protection have proven to inadequate.

Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be

undertaken.

Eyes Protective eyewear is not normally necessary when using this product. However, it

always prudent to use protective eyewear if splashes/dusts are likely.

Skin If discomfort is felt (e.g., if pre-existing conditions exist, such as dermatitis, cuts or

sensitive skin), gloves may be helpful. If you suffer from dermatitis type skin conditions, use gloves. Replace frequently. Gloves should be checked for tears or holes before use. Respirator is not required under normal use. Ensure adequate natural ventilation. If

product is being used in confined conditions, the use of a mask or respirator may be

preferred.

WES Additional Information

Not applicable

Respiratory

9. Physical & Chemical Properties

Appearance Membrane rolls, coloured Odour Slight bitumen odour

Odour Threshold no data pH no data

Freezing/melting point >100°C (bitumen)
Boiling Point >470°C (bitumen)
Flashpoint >230°C (bitumen)

Flammability no data
Upper & lower flammable limits no data
Vapour pressure no data
Vapour density no data
Specific gravity/density 1-1.5kg/L
Solubility no data
Partition coefficient no data

Auto-ignition temperature >485°C (bitumen)

Decomposition temperatureno dataViscosityno dataParticle Characteristicsno data

10. Stability & Reactivity

Stability This product is unlikely to react or decompose under normal storage conditions. This

product will not undergo polymerisation reactions.

Conditions to be avoided Containers should be kept closed in order to avoid contamination.

Incompatible groups Oxidising agents.
Substance Specific none known
Incompatibility

Hazardous decomposition

products

Oxides of carbon and nitrogen, smoke and other toxic fumes

Hazardous reactions Thermally stable.



11. Toxicological Information

Summary

IF SWALLOWED: low ingestion hazard. If material is cut or mechanically abraded swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

IF IN EYES: If material is cut or mechanically abraded may be an eye irritant. Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the eyes.

IF ON SKIN: If material is cut or mechanically abraded, contact with skin may result in irritation.

IF INHALED: If material is cut or mechanically abraded may be an irritant to mucous membranes and respiratory tract.

Supporting Data

Acute Oral The Acute Toxicity Estimate (ATE) (oral) for the mixture is >2,000 mg/kg.

Aspiration This mixture is not considered an aspiration hazard.

Dermal The Acute Toxicity Estimate (ATE) (dermal) for the mixture is >2,000 mg/kg.

Inhaled No evidence of acute inhalation toxicity.

SkinThe mixture is not considered to be an eye irritant.

The mixture is not considered to be a skin irritant.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

Mutagenicity No ingredient present at concentrations > 0.1% is considered a mutagen.

CarcinogenicityNo ingredient present at concentrations > 0.1% is considered a carcinogen by IARC.. **Reproductive** / No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation.

Systemic No ingredient present at concentrations > 1% is considered a target organ toxicant.

Aggravation of None known. existing conditions

12. Ecological Data

Summary

This mixture is not considered ecotoxic

Supporting Data

Aquatic No evidence of ecotoxicity. Acute toxicity estimate (based on ingredients): >100 mg/L

Bioaccumulation Not considered bioaccumulative.

Degradability Not readily biodegradable

Soil Not consided ecotoxic in the soil environment.

Terrestrial vertebrate Not harmful towards terrestrial vertebrates

Terrestrial invertebrate No evidence to toxicity towards terrestrial invertebrates

Biocidal Not biocidal

Environmental effect levels No EELs are available for this mixture or ingredients

13. Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal method Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should

be sought from the Regional Authority.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:NAHazchem code:NA

Page 4 of 6 October 2022

Product Name: Casali Dermabit® Extra



15. Regulatory Information

This substance is not considered to be hazardous under HSNO. All ingredients appear on the NZIoC.

Specific Controls

Key workplace requirements are:

SDS Not required (non hazardous), but best practice to have the SDS available.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substance.

All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Not required. Certified handler Not required. Tracking Not required. Bunding & secondary containment Not required. Signage Not required. Not required. Location compliance certificate Flammable zone Not required. Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

16. Other Information

Abbreviations

Approval Code NA – non hazardous

CAS Number Unique Chemical Abstracts Service Registry Number

ECotoxic Concentration 50% – concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

EPA Environmental Protection Authority (New Zealand)

GHS Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised

edition, 2017, published by the United Nations.

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

International Agency for Research on Cancer

LEL Lower Explosive Limit

LD₅₀ Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

LC₅₀ Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

NZIoC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

STOT RESystem Target Organ Toxicity – Repeated ExposureSTOT SESystem Target Organ Toxicity – Single Exposure

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)
Upper Explosive Limit

UELUpper Explosive LimitUN NumberUnited Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.



References

Data

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

EPA Notices www.epa.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site - www.worksafe.govt.nz.

Other References: Suppliers SDS

Review

DateReason for reviewOctober 2022Not applicable – new SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951

