

1. Identification of Substance & Company

Product

Product name JM TPO Membrane Adhesive

Product code NA

HSNO approval HSR002670

Approval description Surface Coatings and Colourants (Subsidiary Hazard) Group Standard

2020

UN number NA
Proper Shipping Name NA
DG class NA
Packaging group NA
Hazchem code NA

Uses One part, water based membrane adhesive

Company Details

Company Allco Waterproofing Solutions

Address 5 Te Kea Place PO Box 101-903
Albany North Shore City

Auckland 0745 New Zealand New Zealand

Telephone +64 9 448 1185 Website www.allco.co.nz

Emergency Telephone Number: 021 441 329

2. Hazard Identification

Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002670, Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2020). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

GHS 7 Classes

Skin irritant category 2 Eye irritant category 2B SYMBOLS **Hazard Statements**

H315 - Causes skin irritation. H320 - Causes eye irritation.

WARNING



Other Classifications

There are no other classifications that are known to apply.

Precautionary Statements

Prevention P103 - Read label before use.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P332+P313 - If skin irritation occurs: Get medical advice/ attention.

P332+P313 - If skin irritation occurs: Get medical advice/ attention. P362 - Take off contaminated clothing and wash before re-use.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Storage no storage statement

Disposal P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

Page 1 of 6 July 2023

Response

Product Name: JM TPO Membrane Adhesive



3. Composition / Information on Ingredients

Component	CAS/ Identification	Concentration
ammonia	7664-41-7	0.4%
ingredients not contributing to GHS 7 classes	mixture	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4. First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid

facilities

Ready access to running water is required. Accessible eyewash is required.

Exposure

IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse **Swallowed**

mouth. Do NOT induce vomiting. Give a glass of water to drink.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Eve contact

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/ attention. Take off contaminated clothing and wash before re-use.

Generally, inhalation of fumes/vapours/dusts is unlikely to result in adverse health Inhaled

effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the

side) for transport and contact a doctor.

Advice to Doctor

Treat symptomatically

5. Firefighting Measures

Fire and explosion hazards: Suitable extinguishing

substances:

Unsuitable extinguishing

substances:

Products of combustion:

There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or

alcohol resistant foam.

Unknown.

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

Protective equipment: No special measures are required.

Hazchem code: NA

6. Accidental Release Measures

Containment There is no current legal requirement for containment of this product. In all cases,

prevent spillage from spreading or entering soil, waterways or drains.

Emergency procedures If a significant spill occurs:

Stop leak if safe/necessary; Isolate area. Collect spill – see below; Transfer to container

for disposal. Dispose of according to guidelines below (Section 13).

Clean-up method Use absorbent (soil, sand or other inert material). Rags are not recommended for the

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

Mop up and collect recoverable material into labelled containers for recycling or salvage. **Disposal**

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.



7. Storage & Handling

Storage Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

Handling Keep exposure to a minimum, and minimise the guantities kept in work areas. See

section 8 with regard to personal protective equipment requirements.

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA WES-STEL
Exposure Stds ammonia 25ppm, 17 mg/m³ 35ppm, 24 mg/m³

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

General

Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate.

Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.

Eyes



Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.

Skin



Protective gloves are recommended. Nitrile rubber gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1.

Respiratory

Respirator is not required under normal use. Ensure adequate natural ventilation. If product is being used in confined conditions, the use of a mask or respirator may be preferred.

WES Additional Information

Not applicable

9. Physical & Chemical Properties

light blue liquid **Appearance** Odour ammonia like **Odour Threshold** no data Нα 9.5 Freezing/melting point 0°C **Boiling Point** >100°C **Flashpoint** no data **Flammability** non flammable **Upper & lower flammable limits** no data Vapour pressure no data

Page 3 of 6 July 2023

Product Name: JM TPO Membrane Adhesive



Vapour density no data Specific gravity/density 1.031kg/m³ Solubility soluble Partition coefficient no data **Auto-ignition temperature** no data **Decomposition temperature** no data Viscosity no data **Particle Characteristics** no data

10. Stability & Reactivity

Stability Stable

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames.

Oxidising agents Incompatible groups **Substance Specific** none known

Incompatibility

Hazardous decomposition

products

Oxides of carbon, nitrogen oxides (NOx), hydrocarbons

Hazardous reactions none known

11. Toxicological Information

Summary

IF IN EYES: may cause eye irritation. IF ON SKIN: may cause skin irritation.

Supporting Data

Acute Oral Using LD₅₀'s for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture is

>2,000 mg/kg.

Dermal Using LD50's for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the mixture

is >2,000 mg/kg.

Inhaled Using LD₅₀'s for ingredients, the Acute Toxicity Estimate (ATE) (inhalation) for the

mixture is >5mg/L/4h. Data considered includes: ammonia 3,360 mg/cu m/1 hr (mouse).

The mixture is considered to be an eye irritant, because some of the ingredients present are considered eye irritants in more concentrated form.

The mixture is considered to be a skin irritant, because some of the ingredients present

are considered skin irritants in more concentrated form.

Sensitisation Chronic No ingredient present at concentrations > 0.1% is considered a sensitizer.

> No ingredient present at concentrations > 0.1% is considered a mutagen. Mutagenicity No ingredient present at concentrations > 0.1% is considered a carcinogen. Carcinogenicity Reproductive / No ingredient present at concentrations > 0.1% is considered a reproductive or

developmental toxicant or have any effects on or via lactation. Developmental

Systemic No ingredient present at concentrations > 1% is considered a target organ toxicant.

Aggravation of None known.

existing conditions

12. Ecological Data

Eye

Skin

Summary

This mixture is not considered to be ecotoxic. In all cases prevent run-off to drains, sewers and waterways.

Supporting Data

Using EC₅₀'s for ingredients, the calculated EC₅₀ for the mixture is > 100 mg/L. Data Aquatic

considered includes: ammonia 0.45 mg/L (96hr, Coho salmon), 1.2 mg/l (48hr, Juvenile

grass shrimp).

Bioaccumulation No data Degradability No data

No evidence of soil toxicity. Soil

Terrestrial vertebrate See acute toxicity.

Terrestrial invertebrate No evidence of toxicity towards terrestrial invertebrates.

Biocidal no data

Environmental effect levels No EELs are available for this mixture or ingredients



13. Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal method

Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:NAHazchem code:NA

IMDG

UN number: NA Proper shipping name: Not regulated

Class(es) NA Packing group: NA Precautions: NA EmS NA

IATA

UN number: NA Proper shipping name: Not regulated

Class(es)NAPacking group:NAPrecautions:NAERG GuideNA

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002670, Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2020. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

Specific Controls

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained. Packaging All hazardous substances should be appropriately packaged including

substances that have been decanted, transferred or manufactured for own use

or have been supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Not required. Certified handler Not required. Not required. Tracking Bunding & secondary containment Not required. Not required. Signage Location compliance certificate Not required. Flammable zone Not required. Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.



16. Other Information

Abbreviations

Approval Code Approval HSR002670, Surface Coatings and Colourants (Subsidiary Hazard) Group

Standard 2020 Controls, EPA. www.epa.govt.nz

CAS Number

Unique Chemical Abstracts Service Registry Number

EC₅₀ Ecotoxic Concentration 50% − concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

EPA Environmental Protection Authority (New Zealand)

GHS Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised

edition, 2017, published by the United Nations.

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer

LEL Lower Explosive Limit

LD₅₀ Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

Lethal Concentration 50% − concentration in air which is fatal to 50% of a test population

(usually rats)

NZIoC New Zealand Inventory of Chemicals

MSDS (SDS)

Material Safety Data Sheet (or Safety Data Sheet)

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

STOT RESystem Target Organ Toxicity – Repeated Exposure **STOT SE**System Target Organ Toxicity – Single Exposure

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UEL Upper Explosive Limit
UN Number United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

Data

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site – www.worksafe.govt.nz. EU ECHA, ingredients SDS's, ChemIDplus

Review

Other References

DateReason for reviewJuly 2023Not applicable – new SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO and GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

