

ALLCO ALLGUARD
PROTECTION BOARD

VOLCLAY VOLTEX
BONDED TO PRECAST
PANEL IN FORM

WATERSTOPPAGE FILLET /
BENTOSEAL TO WALL /
FOOTING JUNCTION

SEAL TAPE TO
JUNCTION


COIL DRAIN FOR
NON-HYDROSTATIC
SITUATIONS

ALLCO ALLSHEET DAMP
PROOF UNDERLAY TO
UNDERSIDE OF SLAB

STRUCTURAL
CONCRETE WALL /
SLAB / FOOTING REFER
ENGINEERS DESIGN &
DOCUMENTATION.

1
FLUSH FOOTING / WALL -
ALLSHEET TO VOLTEX LAP

SCALE: NTS



ALLCO ALLGUARD
PROTECTION BOARD

VOLCLAY VOLTEX
BONDED TO PRECAST
PANEL IN FORM

WATERSTOPPAGE FILLET /
BENTOSEAL TO WALL /
FOOTING JUNCTION

SEAL TAPE TO
JUNCTION

COIL DRAIN FOR
NON-HYDROSTATIC
SITUATIONS


ALLCO ALLSHEET DAMP
PROOF UNDERLAY TO
UNDERSIDE OF SLAB

STRUCTURAL
CONCRETE WALL /
SLAB / FOOTING REFER
ENGINEERS DESIGN &
DOCUMENTATION.

2
HEEL FOOTING / WALL -
ALLSHEET TO VOLTEX LAP

SCALE: NTS

REFER ADJACENT DETAILS
(1/2) FOR MEMBRANE
PLACEMENT TO FOOTING



3
FOOTING / WALL - POD FLOOR

SCALE: NTS

NOTE - PROVIDING PROTECTION
OF ANY DPM PRODUCTS DURING
BACKFILL IS SUGGESTED BUT
NOT MANDATORY.

REFER ALLCO BACKFILL
DOCUMENT FOR PROTECTION
OPTIONS FOR ALLCO VOLCLAY
MEMBRANES



The information and data contained herein are believed to be accurate and reliable.
This information does not constitute a warranty and should be used in conjunction with the
project specification document supplied by Allco Waterproofing Solutions Ltd
Please contact Allco Waterproofing Solutions Ltd with any questions or deviations from this
information.
If variances to published CETCO documentation occur, ALLCO detailing takes precedent
© Allco Waterproofing Solution Ltd

For Technical Advice Contact:
Web: www.allco.co.nz
Email: info@allco.co.nz
Telephone: 09 448 1185
Facsimile: 09 448 1186



DRAWN BY:
ALLCO

DATE:
06/23

DRAWING REF:
V-F-07B

REV:
5