CodeMark CERTIFIED

alco WATERPROOFING SOLUTIONS

BRANZ Appraised
Appraisal No.647 [2017]




CASALI ROOFING CATALOGUE

V2


CONTENTS

Membranes	02
Specialty Membranes	04
Outlets and Overflows	05
Primers, Sealants and Accessories	07
Vapour Barrier/PIR/Coverboard	09

MEMBRANES

IMAGE	CODE	DESCRIPTION	SIZE
	CBITBASEP	**Dermabit Extra APAO** Torch-On Base sheet 3.0mm.	1m x 10m roll
	CBITBASE	**Dermabit Extra APAO** Torch-On base sheet 3.0mm. Sand finish. For use on carpark system only. *Overseas indent only - min order qty and lead times apply.	1m x 10m roll
	CBITCG10 CBITCB8	**Dermabit Extra APAO** Torch-On Cap sheet 4.0mm. Mineral chip finish - Black or Natural Slate. Ideal for use in South Island and Central Plateau.	1m x 10m roll 1m x 8m roll
		**Dermabit Extra APAO** Torch-On Cap sheet 4.0mm. Indent colours: Bourgogne slate Red slate Dark brown slate Green slate White slate *Overseas indent only - min order qty and lead times apply.	1m x 10m roll 1m x 8m roll
	COLYBASEP	**Olympia APP** Torch-On Base sheet 3.0mm. For use with Casali Dermafil cap sheet.	1m x 10m roll
	CFILB10/CFILC10	**Dermafil APP** Torch-On Cap sheet 4.0mm. Mineral chip finish in Black or Natural Slate.	1m x 10m roll

MEMBRANES

IMAGE	CODE	DESCRIPTION	SIZE
	CFILGS	**Dermafil 50250** Torch-On cap sheet 5.0mm. Sand finish field sheet. For carparks, podiums and bridges.	1m x 8m roll
		**Dermafil APP** Torch-On Cap sheet 4.0mm. Indent colours: Bourgogne slate Red slate Dark brown slate Green slate White slate *Overseas indent only - min order qty and lead times apply.	1m x 10m roll

SPECIALTY MEMBRANES

IMAGE	CODE	DESCRIPTION	SIZE
	CASARD	**Casali Aderix AS Peel & Stick** Base sheet 2.5mm for roofing and below ground. For use with Torch applied cap sheets only.	1m x 15m roll
	CASARDSS	**Casali Aderix SS Peel & Stick** Base sheet SS Polyester 2.5mm PE SBS. For roofing use with new peel & stick cap sheets only CASARDSP.	1m x 15m roll
	CASARDSP	**Casali Aderix SP Peel & Stick** Cap sheet 4.5mm. Mineral chip finish, Black. For roofing use with new peel & stick base sheets only CASARDSS.	1m x 10m roll
	CGRUV	**Casali Vented Torch-On base sheet** Suitable for use on concrete substrates.	1m x 20m roll
	CERADX	**Casali Eradix Torch-On** Anti root barrier membrane 4.0mm. Mineral chip finish. For use on roof gardens and planter boxes.	1mx 10m roll
	CVAP3/CVAP4	**Casali Vaporex Torch-On** Bitumen Vapour Barrier 3.0mm or 4.0mm with aluminium foil laminated within.	1m x 10m roll

OUTLETS AND OVERFLOWS

IMAGE	CODE	DESCRIPTION	SIZE
	ROOFDBE	**AquaKnight Clampring Outlet Overflow** Bottom exit uPVC outlet/overflow with Stainless Steel domed leaf grate.	80mm - 100mm
	ROOFDB80	**AquaKnight Clampring Outlet Overflow - Small Flange** Bottom exit uPVC outlet/overflow with Stainless Steel domed leaf grate.	80mm
	ROOFDSE	**AquaKnight Side Exit Clampring Outlet Overflow** Side exit uPVC outlet/overflow with Stainless Steel domed leaf grate.	80mm
	ROOFDBE150	**AquaKnight Clampring Outlet Overflow** Bottom exit uPVC outlet/overflow with Stainless Steel domed leaf grate.	150mm

OUTLETS AND OVERFLOWS

IMAGE	CODE	DESCRIPTION	SIZE
	CSCUPP	**Aluminium Scupper with Fillet**	200mm x 75mm
	COSCUPP	**Aluminium Overflow**	200mm x 75mm
	CSCUPP1	**Aluminium Scupper**	100mm x 100mm
	CALIROOF	**Aluminium Roof Vent with Cap** For torch on membrane roof ventilation.	150mm

PRIMERS, SEALANTS AND ACCESSORIES

IMAGE	CODE	DESCRIPTION	SIZE
	CSPRIME	**Dermaprimer** Solvent based bitumen primer. For use with Bitumen membranes.	20L
	CDRSP	**Dermarubber SP** Solvent based liquid waterproofing membrane and root stop.	20kg
	SGPRIM22B	**Allco Self-Adhesive Membrane Primer** Solvent based sprayable primer. For use with Vapour barrier and Bitumen membranes.	22L canister 220m^2 coverage
	SGTPO132C	**Allco PU Foam Adhesive** Moisture curing, single-part urethane foam adhesive for securing insulation types including EPS. Double sided for EPS, single for vapour barrier.	13L 80m^2 coverage
	SGS4222C	**Polystyrene Safe Spray Adhesive** Non Chlorinated, low VOC, polystyrene safe spray adhesive suitable for bonding vapour barrier to EPS.	22L canister 300m^2 coverage
	ARBIT	**ARDEX Bituminous Sealant** UV stable, solvent based bituminous sealant. For use on and around Torch-On membrane terminations and Bitumen membranes *Local indent only - no min order qty and short lead times apply.	300ml cartridge

PRIMERS, SEALANTS AND ACCESSORIES

IMAGE	CODE	DESCRIPTION	SIZE
	ALLPREPA10 ALLPREPB10 ALLPREPA4 ALLPREPB4	**ALLPREP Hydropoxy** 2 part substrate primer, suitable for use on plywood and concrete substrates.	4L
	CBFIL30	**Bitumen fillet**	30mm x 30mm x 1100mm
	ALLBAR100 ALLBAR	**Barrier Tape** Foil faced barrier detailing tape.	100mm x 20m 150mm x 20m
	VTTERM2.0	**Termination Bar** Aluminium Termination Bar	2.0 l/m x 35mm x 2mm
	VRF	**Reinforcing Fabric** Non-woven fabric reinforcing.	200mm x 50m roll

VAPOUR BARRIER/PIR/COVERBOARD

IMAGE	CODE	DESCRIPTION	SIZE
	JMVAPSA	**JM Vapour Barrier Peel & Stick** Tri-laminate woven polyethylene, vapor barrier providing moisture protection and low air permeability.	1.1m x 40.8m
	FCS6 GPCR6	**Roof Cover Board** Use as a protective cover over PIR. Available in fibre cement or gypsum - please specify when ordering. Weight: 6.2kg per m^2	6.3mm x 1.2m x 2.4m
	CPIR20	**PIR Glass Fabric Faced Thermal Insulation Board R .93** Embossed Foil Faced POA.	20mm x 1.2m x 2.4m
	CPIR30	**PIR Glass Fabric Faced Thermal Insulation Board R 1.4** Embossed Foil Faced POA.	30mm x 1.2m x 2.4m
	CPIR40	**PIR Glass Fabric Faced Thermal Insulation Board R 1.8** Embossed Foil Faced POA.	40mm x 1.2m x 2.4m
	CPIR50	**PIR Glass Fabric Faced Thermal Insulation Board R 2.3** Embossed Foil Faced POA.	50mm x 1.2m x 2.4m
	CPIR75	**PIR Glass Fabric Faced Thermal Insulation Board R 3.5** Embossed Foil Faced POA.	75mm x 1.2m x 2.4m
	CPIR100	**PIR Glass Fabric Faced Thermal Insulation Board R 4.6** Embossed Foil Faced POA.	140mm x 1.2m x 2.4m
	CPIR140	**PIR Glass Fabric Faced Thermal Insulation Board R 6.4** Embossed Foil Faced POA.	140mm x 1.2m x 2.4m
	CPIR150	**PIR Glass Fabric Faced Thermal Insulation Board R 7.0** Embossed Foil Faced POA.	150mm x 1.2m x 2.4m



PIR is an indent product. Please check availability of sizes and lead times prior to ordering.

allco WATERPROOFING SOLUTIONS

BRANZ Appraised
Appraisal No.647 [2017]

CodeMark CERTIFIED

3 Te Kea Place, Albany, Auckland.
09 448 1185 www.allco.co.nz