

CASALI CAP  
SHEET MEMBRANE

CASALI BASE  
SHEET MEMBRANE

ALLCO  
COVER BOARD

ALLCO BITUMEN  
FILLET OR TIMBER

ADHESIVE

JM VAPOUR BARRIER  
BELOW PIR

SPECIFIED SUBSTRATE  
BY DESIGN

40MM HOT AIR WELD

JM TPO FIELD SHEET

ALLCO  
COVER BOARD

ADHESIVE

JM VAPOUR BARRIER  
BELOW PIR

SPECIFIED SUBSTRATE  
BY DESIGN

JM SINGLE PLY SEALING MASTIC PLACED  
ON FLANGE PRIOR TO TPO LAP AND CLAMP

300 MIN

50 MIN  
FREEBOARD

100mm Min.

SEALANT AROUND  
PENETRATION

300 MIN

50 MIN  
FREEBOARD

100mm Min.

SEALANT AROUND  
PENETRATION

1

ALLCO ALLTHERM WARM ROOF  
- CASALI GUTTER OULTET

SCALE: NTS

2

ALLCO ALLTHERM WARM ROOF  
- JM TPO GUTTER OULTET

SCALE: NTS



The information and data contained herein are believed to be accurate and reliable.  
This information does not constitute a warranty and should be used in conjunction with  
the project specification document supplied by Allco Waterproofing Solutions Ltd  
Please contact Allco Waterproofing Solutions Ltd with any questions or deviations from  
this information.  
© Allco Waterproofing Solution Ltd

For Technical Advice Contact:  
Web: [www.allco.co.nz](http://www.allco.co.nz)  
Email: [info@allco.co.nz](mailto:info@allco.co.nz)  
Telephone: 09 448 1185  
Facsimile: 09 448 1186



DRAWN BY:  
ALLCO

DATE:  
05/24

DRAWING REF:  
WR-002

REV:  
3