

CASALI CAP
SHEET MEMBRANE

CASALI BASE
SHEET MEMBRANE

ALLCO COVER
BOARD

ALLCO BITUMEN
FILLET OR TIMBER

ADHESIVE

JM VAPOUR BARRIER
BELOW PIR

SPECIFIED SUBSTRATE
BY DESIGN

300 MIN

50 MIN
FREEBOARD

100mm Min.

PIR
INSULATION

SEALANT AROUND
PENETRATION

1

ALLCO ALLTHERM WARM ROOF
- CASALI GUTTER OULTET

SCALE: NTS

METAL TRAY
SUBSTRATE

40MM HOT AIR WELD

JM TPO FIELD SHEET

ALLCO COVER
BOARD

ADHESIVE

JM VAPOUR BARRIER TO
METAL TRANSITION

SPECIFIED SUBSTRATE
BY DESIGN

300 MIN

50 MIN
FREEBOARD

100mm Min.

PIR
INSULATION

SEALANT AROUND
PENETRATION

2

ALLCO ALLTHERM WARM ROOF
- JM TPO GUTTER OULTET

SCALE: NTS

METAL TRAY
SUBSTRATE

JM SINGLE PLY SEALING MASTIC PLACED
ON FLANGE PRIOR TO TPO LAP AND CLAMP



The information and data contained herein are believed to be accurate and reliable.
This information does not constitute a warranty and should be used in conjunction with
the project specification document supplied by Allco Waterproofing Solutions Ltd
Please contact Allco Waterproofing Solutions Ltd with any questions or deviations from
this information.
© Allco Waterproofing Solution Ltd

For Technical Advice Contact:
Web: www.allco.co.nz
Email: info@allco.co.nz
Telephone: 09 448 1185
Facsimile: 09 448 1186



DRAWN BY:
ALLCO

DATE:
05/23

DRAWING REF:
WR-002A

REV:
3