

CASALI CAP
SHEET MEMBRANE

CASALI BASE
SHEET MEMBRANE

SOLID TIMBER PLATE
TO ROOF EDGE

RAINWATER SYSTEM
BY OTHERS

ALUM OR S/S FIXING BAR
TO SECURE MEMBRANE TO
METAL DRIP-EDGE.
FIXINGS @ 300 CTRS MAX

2MM ALUM OR
S/S ANGLE 50X50MM MIN.

75 lap

ALLCO
COVER BOARD

ADHESIVE

JM VAPOUR
BARRIER

SPECIFIED
SUBSTRATE
BY DESIGN

PIR INSULATION

JM TPO FIELD SHEET

SOLID TIMBER PLATE
TO ROOF EDGE

JM TPO MEMBRANE
WELDED TO TPO
COATED DRIP EDGE

RAINWATER SYSTEM
BY OTHERS

40MM HOT AIR WELD

TPO COATED GALV
STEEL ANGLE

75 lap

ALLCO
COVER BOARD

ADHESIVE

JM VAPOUR
BARRIER

SPECIFIED
SUBSTRATE
BY DESIGN

PIR INSULATION

1

ALLCO ALLTHERM WARM ROOF - CASALI - DRIP EDGE

SCALE: NTS

2

ALLCO ALLTHERM WARM ROOF - JM TPO - DRIP EDGE

SCALE: NTS



The information and data contained herein are believed to be accurate and reliable.
This information does not constitute a warranty and should be used in conjunction with
the project specification document supplied by Allco Waterproofing Solutions Ltd
Please contact Allco Waterproofing Solutions Ltd with any questions or deviations from
this information.
© Allco Waterproofing Solution Ltd

For Technical Advice Contact:
Web: www.allco.co.nz
Email: info@allco.co.nz
Telephone: 09 448 1185
Facsimile: 09 448 1186



DRAWN BY:
ALLCO

DATE:
06/23

DRAWING REF:
WR-009

REV:
2