

## 1. Identification of Substance & Company

### Product

<b>Product name</b>	Coreflex® XP
<b>HSNO approval</b>	NA – non hazardous
<b>Approval description</b>	Non hazardous
<b>UN number</b>	NA
<b>Proper Shipping Name</b>	NA
<b>DG class</b>	NA
<b>Packaging group</b>	NA
<b>Hazchem code</b>	NA
<b>Uses</b>	Thermoplastic waterproofing membrane

### Company Details

<b>Company</b>	<b>Allco Waterproofing Solutions</b>	
<b>Address</b>	5 Te Kea Place Albany Auckland New Zealand	PO Box 101-903 North Shore City 0745 New Zealand
<b>Telephone</b>	+64 9 448 1185	
<b>Website</b>	www.allco.co.nz	

## 2. Hazard Identification

### Approval

This product is not considered hazardous under the Hazardous Substances and New Organisms Act (HSNO), according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

### GHS Classes

None

### Hazard Statements

### SYMBOLS

none

### Other Classifications

This substance may contain traces of crystalline silica. The following classification ONLY applies to this substance if it is in the form of a fine respirable dust in an occupational (chronic exposure) setting. This substance is in the form of granules.

Carcinogen. cat 1*	H350 - May cause cancer.
STOT RE cat 1*	H372 - Causes damage to organs through prolonged or repeated exposure.

<b>Prevention</b>	P103 - Read label before use.
<b>Response</b>	P101 - If medical advice is needed, have product container or label at hand. P264 - Wash hands thoroughly after handling.
<b>Storage</b>	No storage statements.
<b>Disposal</b>	P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

## 3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Proprietary ingredients	proprietary	10-20%
Quartz – traces	14808-60-7	<1%
Ingredients not contributing to GHS classes	Mixture	balance

## 4. First Aid

### General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

**Recommended first aid facilities** Ready access to running water is recommended.

### Exposure

**Swallowed** Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor.  
**Eye contact** If product gets in eyes, wash material from them with running water for several minutes. If symptoms persist, seek medical advice.  
**Skin contact** Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: get medical advice/attention.  
**Inhaled** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor. If experiencing respiratory symptoms: Immediately call a POISON CENTER or doctor.

### Advice to Doctor

Treat symptomatically.

## 5. Firefighting Measures

**Fire and explosion hazards:** There are no specific risks for fire/explosion for this chemical. It is non-combustible.  
**Suitable extinguishing substances:** Water Fog. Foam. Dry chemical powder. Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
**Unsuitable extinguishing substances:** Do not use water jet as an extinguisher, as this will spread the fire.  
**Products of combustion:** Product does not burn.  
**Protective equipment:** Product may decompose in a fire and produce toxic or corrosive fumes. Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.  
**Hazchem code:** NA

## 6. Accidental Release Measures

**Containment** In all cases design storage to prevent discharge to stormwater.  
**Emergency procedures** In the event of a large spillage (>100kg) alert the fire brigade to location and give brief description of hazard.  
**Clean-up method** Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your regional council immediately). Collect product and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.  
**Disposal** Sweep and collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations.  
**Precautions** Do not allow contaminated water to enter the environment. Wear protective equipment to prevent skin and eye contamination and the inhalation of dust. Work up wind or increase ventilation.

## 7. Storage & Handling

**Storage** Store in a cool dry place.  
 Avoid storage of harmful substances with food.  
**Handling** Avoid contact with incompatible substances as listed in Section 10.  
 During the manual handling of products please lift carefully - corners are sharp.  
 Minimise dust generation and accumulation. See section 8 with regard to personal protective equipment requirements. Avoid skin and eye contact and inhalation of dust.

## 8. Exposure Controls / Personal Protective Equipment

### Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m<sup>3</sup> for respirable particulates and 10mg/m<sup>3</sup> for inhalable particulates when limits have not otherwise been established.

NZ Workplace Exposure Stds	Ingredient	WES-TWA	WES-STEL
	Crystalline silica	0.05mg/m <sup>3</sup>	-

### Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

### Personal Protective Equipment

<b>General</b>	Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to be inadequate. Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.
<b>Eyes</b>	Protective eyewear is not normally necessary when using this product. However, it is always prudent to use protective eyewear if splashes/dusts are likely.
<b>Skin</b>	If discomfort is felt (e.g., if pre-existing conditions exist, such as dermatitis, cuts or sensitive skin), gloves may be helpful. If you suffer from dermatitis type skin conditions, use gloves. Replace frequently. Gloves should be checked for tears or holes before use.
<b>Respiratory</b>	When cutting or sanding this substance, use of a P2 dust mask or fine particulate half or full face respirator with an effective seal is recommended when airborne concentrations approach the WES (section 8). Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

### WES Additional Information

Not applicable

## 9. Physical & Chemical Properties

<b>Appearance</b>	bentonite granules between geotextile layers
<b>Odour</b>	no odour
<b>Odour Threshold</b>	no data
<b>pH</b>	7-11
<b>Freezing/melting point</b>	no data
<b>Boiling Point</b>	no data
<b>Flashpoint</b>	no data
<b>Flammability</b>	non flammable
<b>Upper &amp; lower flammable limits</b>	no data
<b>Vapour pressure</b>	no data
<b>Vapour density</b>	no data
<b>Specific gravity/density</b>	~1.41g/cm <sup>3</sup>
<b>Solubility</b>	no data
<b>Partition coefficient</b>	no data
<b>Auto-ignition temperature</b>	no data
<b>Decomposition temperature</b>	no data
<b>Viscosity</b>	no data
<b>Particle Characteristics</b>	no data

## 10. Stability & Reactivity

<b>Stability</b>	This product is unlikely to react or decompose under normal storage conditions. This product will not undergo polymerisation reactions.
<b>Conditions to be avoided</b>	Containers should be kept closed in order to avoid contamination.
<b>Incompatible groups</b>	none known
<b>Substance Specific Incompatibility</b>	none known
<b>Hazardous decomposition products</b>	Thermal decomposition may cause carbon monoxide and carbon dioxide.
<b>Hazardous reactions</b>	Polymerisation can occur.

## 11. Toxicological Information

### Summary

IF IN EYES: Fine dust may cause irritation when in direct contact.  
 IF ON SKIN: Material may cause drying out of skin.  
 IF INHALED: May cause respiratory irritation. Also see chronic effects.  
 IF SWALLOWED: No adverse effects anticipated under normal use conditions.  
 CHRONIC EFFECTS: The adverse health effects from respirable crystalline silica exposure-silicosis, cancer, scleroderma, tuberculosis, and nephrotoxicity- are chronic effects.

### Supporting Data

<b>Acute</b>	<b>Oral</b>	No data for mixture is available. Using LD <sub>50</sub> 's for ingredients, the estimated LD <sub>50</sub> (oral, rat) for the mixture is > 2000 mg/kg.
	<b>Aspiration</b>	This mixture is not considered an aspiration hazard.
	<b>Dermal</b>	No data for mixture is available. Using LD <sub>50</sub> 's for ingredients, the estimated LD <sub>50</sub> (dermal, rat) for the mixture is >2000 mg/kg.
	<b>Inhaled</b>	No data for mixture is available. Using LC <sub>50</sub> 's for ingredients, the estimated LC <sub>50</sub> (inhalation, rat) for the mixture is > 5mg/L (dust).
	<b>Eye</b>	The mixture is not considered to be an eye irritant.
	<b>Skin</b>	The mixture is not considered to be a skin irritant.
<b>Chronic</b>	<b>Sensitisation</b>	No data for mixture is available. No ingredient present at concentrations > 0.1% is considered a sensitizer.
	<b>Mutagenicity</b>	No data for mixture is available. No ingredient present at concentrations > 0.1% is considered a mutagen.
	<b>Carcinogenicity</b>	This mixture does contain crystalline silica (<1%). Crystalline silica inhaled in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC Group 1). The mixture triggers Carcinogen cat 1 classification.
	<b>Reproductive / Developmental</b>	No data for mixture is available. No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.
	<b>Systemic</b>	The mixture is not considered to be a known or presumed target organ toxicant, Crystalline silica triggers STOT RE cat 1 classification if it is in the form of a fine respirable dust in an occupational (chronic exposure) setting.
	<b>Aggravation of existing conditions</b>	None known.

## 12. Ecological Data

### Summary

This mixture is not considered ecotoxic

### Supporting Data

<b>Aquatic</b>	No evidence of ecotoxicity.
<b>Bioaccumulation</b>	Not considered bioaccumulative.
<b>Degradability</b>	Not readily biodegradable
<b>Soil</b>	Not considered ecotoxic in the soil environment.
<b>Terrestrial vertebrate</b>	Not harmful towards terrestrial vertebrates
<b>Terrestrial invertebrate</b>	No evidence to toxicity towards terrestrial invertebrates
<b>Biocidal</b>	Not biocidal
<b>Environmental effect levels</b>	No EELs are available for this mixture or ingredients

### 13. Disposal Considerations

<b>Restrictions</b>	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
<b>Disposal method</b>	Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority.
<b>Contaminated packaging</b>	Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.

### 14. Transport Information

**Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007**

There are no specific restrictions for this product (not a dangerous good).

<b>UN number:</b>	NA	<b>Proper shipping name:</b>	NA
<b>Class(es)</b>	NA	<b>Packing group:</b>	NA
<b>Precautions:</b>	NA	<b>Hazchem code:</b>	NA

### 15. Regulatory Information

This substance is not considered to be hazardous under HSNO. All ingredients appear on the NZIoC.

#### Specific Controls

Key workplace requirements are:

SDS	Not required (non hazardous), but best practice to have the SDS available.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Not required.
Certified handler	Not required.
Tracking	Not required.
Bunding & secondary containment	Not required.
Signage	Not required.
Location compliance certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

#### Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

## 16. Other Information

### Abbreviations

<b>Approval Code</b>	NA – non hazardous
<b>CAS Number</b>	Unique Chemical Abstracts Service Registry Number
<b>EC<sub>50</sub></b>	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)
<b>EPA</b>	Environmental Protection Authority (New Zealand)
<b>GHS</b>	Globally Harmonised System of Classification and Labelling of Chemicals, 7 <sup>th</sup> revised edition, 2017, published by the United Nations.
<b>HAZCHEM Code</b>	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
<b>HSNO</b>	Hazardous Substances and New Organisms (Act and Regulations)
<b>IARC</b>	International Agency for Research on Cancer
<b>LEL</b>	Lower Explosive Limit
<b>LD<sub>50</sub></b>	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
<b>LC<sub>50</sub></b>	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats)
<b>NZIoC</b>	New Zealand Inventory of Chemicals
<b>STEL</b>	Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded
<b>STOT RE</b>	System Target Organ Toxicity – Repeated Exposure
<b>STOT SE</b>	System Target Organ Toxicity – Single Exposure
<b>TWA</b>	Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours)
<b>UEL</b>	Upper Explosive Limit
<b>UN Number</b>	United Nations Number
<b>WES</b>	Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.

### References

<b>Data</b>	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID).
<b>EPA Notices</b>	<a href="http://www.epa.govt.nz">www.epa.govt.nz</a>
<b>WES</b>	The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – <a href="http://www.worksafe.govt.nz">www.worksafe.govt.nz</a> .
<b>Other References:</b>	Suppliers SDS

### Review

Date	Reason for review
March 2023	Not applicable – new SDS

### Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email [info@datachem.co.nz](mailto:info@datachem.co.nz) or phone: +64 21 1040951

